



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2005010401168496

NAME AND ADDRESS OF THE APPLICANT

ECOFIT S.A.
Rue Marc Seguin Z. I. Sud 41100 Vendome, France

NAME AND ADDRESS OF THE MANUFACTURER

ECOFIT S.A.
Rue Marc Seguin Z. I. Sud 41100 Vendome, France

NAME AND ADDRESS OF THE FACTORY

ECOFIT S.A.
Rue Marc Seguin Z. I. Sud 41100 Vendome, France

NAME, MODEL AND SPECIFICATION

asynchronous external rotor motors

see appendix

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB12350-2009

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification (REF NO. CNCA-01C-013:2007).

Date of issue: Nov. 03, 2011 Date of expiry: Nov. 03, 2016

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original certification: Jan. 16, 2006

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao

CHINA QUALITY CERTIFICATION CENTRE

Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P.R. China

<http://www.cqc.com.cn>



Q 0476196



中国国家强制性产品认证证书

变更结论

Modification Approval

证书编号Certificate No.: 2005010401168496

申请编号Application No.: A2011CCC0401-1182655

申请人Applicant: ECOFIT S.A. ECOFIT S.A.

证书编号Certificate No. (变更前Original): 2005010401168496

证书编号Certificate No. (变更后Present): 2005010401168496

变更产品名称 外转子单相电容运转异步电动机

Name of Product Modified: asynchronous external rotor motors

型号Model/Type: 见附件

变更情况Situation of Modification:

见附件See Annex:

序号	项目Item	变更前Original	变更后Present
1	标准换版	GB12350-2000	GB12350-2009
2	变更产品名称	外转子异步电机(风机用单相电容运转异步电机)	外转子单相电容运转异步电动机
3	增加同种产品其他型号(扩充功率范围)	见原证书	见附件
4	连接电源类型	其他:引出线带接插件	散放引出线
5	更改绝缘漆供应商	Herberts E9570/73 Polyestrimide	ELANTAS Resine polyester insature
6	更改漆包线供应商	SCET Polyurethane	NEXANS Polyamide

第 1 页 / 共 2 页



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

变更结论

Modification Approval

证书编号Certificate No.: 2005010401168496

7	删除绝缘套管	Folioplast Hytrel 823 8	
8	删除接线板	VDLI 5MC	
9	删除电容器	SCR DUCATI ICAR 400V 1 μ F - 60 μ F	用户自配

Above Modification is approved. The present will replace the original.

现批准以上变更。

批准日期 (Date): 2011-11-03

第 2 页 / 共 2 页



主 任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 1 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
1	4RS915	230V	50/60Hz	18.5/20	14/15	4	S1	F
2	4RS925	230V	50/60Hz	21/21	16/16	4	S1	F
3	4RS925	230V	50/60Hz	22/28	16/21	4	S1	F
4	2RS73	230V	50/60Hz	23/28	17/21	2	S1	F
5	2RS73	230V	50/60Hz	23/27	17/20	2	S1	F
6	2RS73	230V	50/60Hz	25/29	19/22	2	S1	F
7	4RS915	230V	50/60Hz	25/25	19/19	4	S1	F
8	4RS915	230V	50/60Hz	27/25	20/19	4	S1	F
9	4RS915	230V	50/60Hz	28/28	21/21	4	S1	F
10	2RS915	230V	50/60Hz	29/39	22/29	2	S1	F
11	4RS925	230V	50/60Hz	29/36	22/27	4	S1	F
12	4RS915	230V	50/60Hz	30/30	22/22	4	S1	F
13	4RS915	230V	50/60Hz	30/31	22/23	4	S1	F
14	2RS915	230V	50/60Hz	31/39	23/29	2	S1	F
15	2RS915	230V	50/60Hz	31/39	23/29	2	S1	F
16	4RS915	230V	50/60Hz	31/27	23/20	4	S1	F
17	4RS915	230V	50/60Hz	31/29	23/22	4	S1	F
18	2RS915	230V	50/60Hz	32/41	24/31	2	S1	F
19	4RS915	230V	50/60Hz	32/32	24/24	4	S1	F
20	4RS925	230V	50/60Hz	32/43	24/32	4	S1	F
21	4RS915	230V	50/60Hz	33/32	25/24	4	S1	F
22	4RS915	230V	50/60Hz	33/53	25/40	4	S1	F
23	4RS915	230V	50/60Hz	33/32	25/24	4	S1	F
24	4RS915	230V	50/60Hz	34/34	26/26	4	S1	F
25	4RS915	230V	50/60Hz	34/32	26/24	4	S1	F
26	4RS925	230V	50/60Hz	35/35	26/26	4	S1	F
27	2RS73	230V	50/60Hz	36/44	27/33	2	S1	F
28	2RS915	230V	50/60Hz	36/45	27/34	2	S1	F
29	4RS915	230V	50/60Hz	36/35	27/26	4	S1	F

注: 此附录与证书同时使用时有效。



主 任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 2 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
30	2RS73	230V	50/60Hz	38/48	28/36	2	S1	F
31	2RS915	230V	50/60Hz	38/38	28/28	2	S1	F
32	2RS915	230V	50/60Hz	38/41	28/31	2	S1	F
33	2RS73	230V	50/60Hz	39/48	29/36	2	S1	F
34	2RS73	230V	50/60Hz	39/48	29/36	2	S1	F
35	2RS915	230V	50/60Hz	39/43	29/32	2	S1	F
36	2RS73	230V	50/60Hz	40/49	30/37	2	S1	F
37	2RS73	230V	50/60Hz	40/49	30/37	2	S1	F
38	2RS73	230V	50/60Hz	40/47	30/35	2	S1	F
39	2RS915	230V	50/60Hz	40/40	30/30	2	S1	F
40	4RS915	230V	50/60Hz	40/44	30/33	4	S1	F
41	4SS925	230V	50/60Hz	40/39	30/29	4	S1	F
42	2RS73	230V	50/60Hz	41/19	31/14	2	S1	F
43	2RS915	230V	50/60Hz	41/46	31/34	2	S1	F
44	2RS915	230V	50/60Hz	41/41	31/31	2	S1	F
45	4RS915	230V	50/60Hz	41/42	31/32	4	S1	F
46	4RS915	230V	50/60Hz	41/47	31/35	4	S1	F
47	2RS73	230V	50/60Hz	42/16	32/12	2	S1	F
48	4RS915	230V	50/60Hz	42/49	32/37	4	S1	F
49	4RS925	230V	50/60Hz	42/50	32/38	4	S1	F
50	4RS925	230V	50/60Hz	42/46	32/34	4	S1	F
51	4SS915	230V	50/60Hz	42/42	32/32	4	S1	F
52	2RS73	230V	50/60Hz	43/54	32/40	2	S1	F
53	2RS73	230V	50/60Hz	43/19	32/14	2	S1	F
54	2RS915	230V	50/60Hz	43/43	32/32	2	S1	F
55	4RS925	230V	50/60Hz	43/48	32/36	4	S1	F
56	2RS915	230V	50/60Hz	44/52	33/39	2	S1	F
57	2RS915	230V	50/60Hz	45/14	34/10	2	S1	F
58	4RS920	230V	50/60Hz	45/54	34/40	4	S1	F

注: 此附录与证书同时使用时有效。



主 任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 3 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
59	4RS925	230V	50/60Hz	45/50	34/38	4	S1	F
60	4RS925	230V	50/60Hz	45/55	34/41	4	S1	F
61	4RS925	230V	50/60Hz	45/52	34/39	4	S1	F
62	4SS925	230V	50/60Hz	45/49	34/37	4	S1	F
63	2RS920	230V	50/60Hz	46/105	34/79	2	S1	F
64	2SS915	230V	50/60Hz	47/47	35/35	2	S1	F
65	4RS915	230V	50/60Hz	47/55	35/41	4	S1	F
66	4RS925	230V	50/60Hz	47/55	35/41	4	S1	F
67	2RS74	230V	50/60Hz	48/59	36/44	2	S1	F
68	2RS915	230V	50/60Hz	48/48	36/36	2	S1	F
69	2RS945	230V	50/60Hz	48/48	36/36	2	S1	F
70	2SS915	230V	50/60Hz	48/48	36/36	2	S1	F
71	4RS925	230V	50/60Hz	48/57	36/43	4	S1	F
72	4RS925	230V	50/60Hz	48/56	36/42	4	S1	F
73	4RS920	230V	50/60Hz	49/58	37/44	4	S1	F
74	4RS925	230V	50/60Hz	49/54	37/40	4	S1	F
75	4SS925	230V	50/60Hz	49/54	37/40	4	S1	F
76	2RS73	230V	50/60Hz	50/21	38/16	2	S1	F
77	2SS915	230V	50/60Hz	50/55	38/41	2	S1	F
78	4RS925	230V	50/60Hz	50/50	38/38	4	S1	F
79	2RS915	230V	50/60Hz	51/53	38/40	2	S1	F
80	2RS74	230V	50/60Hz	51,7/56,8	39/42	2	S1	F
81	2RS73	230V	50/60Hz	52/64	39/48	2	S1	F
82	2RS915	230V	50/60Hz	52/59	39/44	2	S1	F
83	2RS915	230V	50/60Hz	52/52	39/39	2	S1	F
84	4RS915	230V	50/60Hz	52/52	39/39	4	S1	F
85	4RS920	230V	50/60Hz	52/63	39/47	4	S1	F
86	4RS925	230V	50/60Hz	52/55	39/41	4	S1	F
87	2RS915	230V	50/60Hz	53/55	40/41	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 4 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
88	4RS915	230V	50/60Hz	53/59	40/44	4	S1	F
89	4RS925	230V	50/60Hz	53/58	40/44	4	S1	F
90	2RS915	230V	50/60Hz	54/78	40/58	2	S1	F
91	4RS920	230V	50/60Hz	54/65	40/49	4	S1	F
92	4RS925	230V	50/60Hz	54/58	40/44	4	S1	F
93	2RS73	230V	50/60Hz	55/66	41/50	2	S1	F
94	2RS915	230V	50/60Hz	55/71	41/53	2	S1	F
95	2RS915	230V	50/60Hz	55/55	41/41	2	S1	F
96	2RS925	230V	50/60Hz	55/81	41/61	2	S1	F
97	4RS915	230V	50/60Hz	55/55	41/41	4	S1	F
98	4RS925	230V	50/60Hz	55/68	41/51	4	S1	F
99	4RS925	230V	50/60Hz	55/66	41/50	4	S1	F
100	4RS935	230V	50/60Hz	56/69	42/52	4	S1	F
101	2RS915	230V	50/60Hz	57/70	43/52	2	S1	F
102	2RS915	230V	50/60Hz	57/72	43/54	2	S1	F
103	4RS915	230V	50/60Hz	57/62	43/46	4	S1	F
104	2RS73	230V	50/60Hz	58/67	44/50	2	S1	F
105	2RS915	230V	50/60Hz	58/68	44/51	2	S1	F
106	2RS915	230V	50/60Hz	58/61	44/46	2	S1	F
107	4RS915	230V	50/60Hz	58/58	44/44	4	S1	F
108	4RS915	230V	50/60Hz	58/58	44/44	4	S1	F
109	2RS74	230V	50/60Hz	59/73	44/55	2	S1	F
110	2RS915	230V	50/60Hz	59/75	44/56	2	S1	F
111	2RS915	230V	50/60Hz	59/72	44/54	2	S1	F
112	4RS925	230V	50/60Hz	59/66	44/50	4	S1	F
113	2RS915	230V	50/60Hz	60/75	45/56	2	S1	F
114	2RS915	230V	50/60Hz	61/77	46/58	2	S1	F
115	2RS925	230V	50/60Hz	61/85	46/64	2	S1	F
116	4RS925	230V	50/60Hz	61/71	46/53	4	S1	F

注: 此附录与证书同时使用时有有效。



主 任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 5 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
117	2RS915	230V	50/60Hz	62/76	46/57	2	S1	F
118	2RS915	230V	50/60Hz	62/74	46/56	2	S1	F
119	2RS915	230V	50/60Hz	62/80	46/60	2	S1	F
120	2RS915	230V	50/60Hz	62/78	46/58	2	S1	F
121	2RS915	230V	50/60Hz	62/79	46/59	2	S1	F
122	2RS915	230V	50/60Hz	62/74	46/56	2	S1	F
123	4RS925	230V	50/60Hz	62/71	46/53	4	S1	F
124	4RS925	230V	50/60Hz	62/71	46/53	4	S1	F
125	4RS925	230V	50/60Hz	62/62	46/46	4	S1	F
126	2RS915	230V	50/60Hz	63/73	47/55	2	S1	F
127	2RS915	230V	50/60Hz	63/73	47/55	2	S1	F
128	2RS915	230V	50/60Hz	63/73	47/55	2	S1	F
129	2RS915	230V	50/60Hz	63/79	47/59	2	S1	F
130	2RS915	230V	50/60Hz	63/77	47/58	2	S1	F
131	2RS915	230V	50/60Hz	63/73	47/55	2	S1	F
132	2SS915	230V	50/60Hz	63/68	47/51	2	S1	F
133	4RS920	230V	50/60Hz	63/63	47/47	4	S1	F
134	4RS925	230V	50/60Hz	63/72	47/54	4	S1	F
135	4SS925	230V	50/60Hz	63/64	47/48	4	S1	F
136	2RS915	230V	50/60Hz	64/82	48/62	2	S1	F
137	4RS925	230V	50/60Hz	64/85	48/64	4	S1	F
138	2RS925	230V	50/60Hz	65/93	49/70	2	S1	F
139	4RS925	230V	50/60Hz	65/65	49/49	4	S1	F
140	2RS925	230V	50/60Hz	67/67	50/50	2	S1	F
141	2RS915	230V	50/60Hz	68/68	51/51	2	S1	F
142	2RS915	230V	50/60Hz	68/80	51/60	2	S1	F
143	2RS925	230V	50/60Hz	68/91	51/68	2	S1	F
144	4RS925	230V	50/60Hz	68/89	51/67	4	S1	F
145	4RS935	230V	50/60Hz	68/75	51/56	4	S1	F

注: 此附录与证书同时使用时有有效。



主 任:

(Signature)

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 6 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
146	2RS925	230V	50/60Hz	69/86	52/64	2	S1	F
147	2RS915	230V	50/60Hz	70/85	52/64	2	S1	F
148	2RS915	230V	50/60Hz	70/80	52/60	2	S1	F
149	4RS925	230V	50/60Hz	71/88	53/66	4	S1	F
150	4RS925	230V	50/60Hz	71/89	53/67	4	S1	F
151	4RS925	230V	50/60Hz	71/75	53/56	4	S1	F
152	2RS915	230V	50/60Hz	72/87	54/65	2	S1	F
153	2RS925	230V	50/60Hz	72/92	54/69	2	S1	F
154	2RS73	230V	50/60Hz	73/73	55/55	2	S1	F
155	2RS915	230V	50/60Hz	73/88	55/66	2	S1	F
156	2RS915	230V	50/60Hz	73/89	55/67	2	S1	F
157	2RS915	230V	50/60Hz	73/31	55/23	2	S1	F
158	4RS935	230V	50/60Hz	73/78	55/58	4	S1	F
159	4RS945	230V	50/60Hz	73/87	55/65	4	S1	F
160	2RS915	230V	50/60Hz	74/79	56/59	2	S1	F
161	2RS915	230V	50/60Hz	74/74	56/56	2	S1	F
162	2RS915	230V	50/60Hz	75/75	56/56	2	S1	F
163	4RS925	230V	50/60Hz	75/89	56/67	4	S1	F
164	4RS925	230V	50/60Hz	75/75	56/56	4	S1	F
165	4RS925	230V	50/60Hz	76/79	57/59	4	S1	F
166	2RS74	230V	50/60Hz	77/89	58/67	2	S1	F
167	2RS915	230V	50/60Hz	77/101	58/76	2	S1	F
168	2RS915	230V	50/60Hz	78/93	58/70	2	S1	F
169	2RS920	230V	50/60Hz	78/105	58/79	2	S1	F
170	2RS925	230V	50/60Hz	78/122	58/92	2	S1	F
171	4RS935	230V	50/60Hz	78/78	58/58	4	S1	F
172	4RS925	230V	50/60Hz	79/79	59/59	4	S1	F
173	4RS925	230V	50/60Hz	79/90	59/68	4	S1	F
174	2SS925	230V	50/60Hz	80/90	60/68	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 7 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
175	4RS925	230V	50/60Hz	80/95	60/71	4	S1	F
176	4RS935	230V	50/60Hz	81/94	61/70	4	S1	F
177	4RS945	230V	50/60Hz	81/106	61/80	4	S1	F
178	4RS925	230V	50/60Hz	82/82	62/62	4	S1	F
179	4RS925	230V	50/60Hz	82/89	62/67	4	S1	F
180	4SS925	230V	50/60Hz	82/98	62/74	4	S1	F
181	4SS925	230V	50/60Hz	82/96	62/72	4	S1	F
182	2RS925	230V	50/60Hz	83/114	62/86	2	S1	F
183	2RS925	230V	50/60Hz	83/83	62/62	2	S1	F
184	2RS925	230V	50/60Hz	83/100	62/75	2	S1	F
185	4RS925	230V	50/60Hz	83/81	62/61	4	S1	F
186	4RS925	230V	50/60Hz	83/82	62/62	4	S1	F
187	4RS935	230V	50/60Hz	83/100	62/75	4	S1	F
188	2RS915	230V	50/60Hz	84/84	63/63	2	S1	F
189	2RS915	230V	50/60Hz	84/101	63/76	2	S1	F
190	2RS915	230V	50/60Hz	84/84	63/63	2	S1	F
191	4RS925	230V	50/60Hz	84/84	63/63	4	S1	F
192	4RS925	230V	50/60Hz	84/84	63/63	4	S1	F
193	4RS925	230V	50/60Hz	84/97	63/73	4	S1	F
194	2RS74	230V	50/60Hz	85/91	64/68	2	S1	F
195	2RS915	230V	50/60Hz	85/96	64/72	2	S1	F
196	2RS925	230V	50/60Hz	85/108	64/81	2	S1	F
197	4RS925	230V	50/60Hz	85/88	64/66	4	S1	F
198	4RS935	230V	50/60Hz	85/85	64/64	4	S1	F
199	4RS935	230V	50/60Hz	86/86	64/64	4	S1	F
200	4RS945	230V	50/60Hz	86/86	64/64	4	S1	F
201	4RS935	230V	50/60Hz	86.5/87	65/65	4	S1	F
202	2RS925	230V	50/60Hz	87/112	65/84	2	S1	F
203	2RS925	230V	50/60Hz	87/87	65/65	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

(Signature)

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 8 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
204	2RS915	230V	50/60Hz	88/94	66/70	2	S1	F
205	4RS935	230V	50/60Hz	88/97	66/73	4	S1	F
206	2RS925	230V	50/60Hz	89/125	67/94	2	S1	F
207	2RS925	230V	50/60Hz	89/120	67/90	2	S1	F
208	2RS925	230V	50/60Hz	89/125	67/94	2	S1	F
209	4RS925	230V	50/60Hz	89/98	67/74	4	S1	F
210	2RS915	230V	50/60Hz	90/111	68/83	2	S1	F
211	2RS925	230V	50/60Hz	90/115	68/86	2	S1	F
212	4RS925	230V	50/60Hz	90/102	68/76	4	S1	F
213	4RS935	230V	50/60Hz	90/94	68/70	4	S1	F
214	2RS915	230V	50/60Hz	91/97	68/73	2	S1	F
215	2RS915	230V	50/60Hz	91/112	68/84	2	S1	F
216	2RS915	230V	50/60Hz	91/108	68/81	2	S1	F
217	2RS915	230V	50/60Hz	91/91	68/68	2	S1	F
218	2RS920	230V	50/60Hz	91/116	68/87	2	S1	F
219	2RS920	230V	50/60Hz	91/116	68/87	2	S1	F
220	2RS925	230V	50/60Hz	91/105	68/79	2	S1	F
221	4RS935	230V	50/60Hz	91/98	68/74	4	S1	F
222	2RS915	230V	50/60Hz	92/98	69/74	2	S1	F
223	2RS915	230V	50/60Hz	94/103	70/77	2	S1	F
224	4RS935	230V	50/60Hz	94/97	70/73	4	S1	F
225	2RS935	230V	50/60Hz	95/127	71/95	2	S1	F
226	2RS915	230V	50/60Hz	96/112	72/84	2	S1	F
227	4RS935	230V	50/60Hz	96/96	72/72	4	S1	F
228	2RS915	230V	50/60Hz	97/106	73/80	2	S1	F
229	2RS925	230V	50/60Hz	97/113	73/85	2	S1	F
230	2RS925	230V	50/60Hz	97/121	73/91	2	S1	F
231	2RS915	230V	50/60Hz	98/107	74/80	2	S1	F
232	2RS935	230V	50/60Hz	98/98	74/74	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

(Signature)

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 9 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
233	2RS925	230V	50/60Hz	100/127	75/95	2	S1	F
234	2SS915	230V	50/60Hz	100/110	75/82	2	S1	F
235	2RS920	230V	50/60Hz	101/141	76/106	2	S1	F
236	2RS920	230V	50/60Hz	101/141	76/106	2	S1	F
237	2RS920	230V	50/60Hz	101/141	76/106	2	S1	F
238	2RS920	230V	50/60Hz	101/141	76/106	2	S1	F
239	4SS925	230V	50/60Hz	101/119	76/89	4	S1	F
240	2RS915	230V	50/60Hz	102/126	76/94	2	S1	F
241	4RS935	230V	50/60Hz	102/116	76/87	4	S1	F
242	2RS920	230V	50/60Hz	103/140	77/105	2	S1	F
243	2RS925	230V	50/60Hz	103/103	77/77	2	S1	F
244	4RS935	230V	50/60Hz	103/110	77/82	4	S1	F
245	4RS945	230V	50/60Hz	103/133	77/100	4	S1	F
246	2RS925	230V	50/60Hz	104/135	78/101	2	S1	F
247	2RS935	230V	50/60Hz	104/131	78/98	2	S1	F
248	4RS935	230V	50/60Hz	104/104	78/78	4	S1	F
249	2RS915	230V	50/60Hz	105/105	79/79	2	S1	F
250	2RS925	230V	50/60Hz	105/115	79/86	2	S1	F
251	2SS915	230V	50/60Hz	105/119	79/89	2	S1	F
252	2SS915	230V	50/60Hz	105/119	79/89	2	S1	F
253	4RS945	230V	50/60Hz	105/105	79/79	4	S1	F
254	2RS915	230V	50/60Hz	106/117	80/88	2	S1	F
255	2RS935	230V	50/60Hz	106/75	80/56	2	S1	F
256	4RS935	230V	50/60Hz	106/115	80/86	4	S1	F
257	4RS945	230V	50/60Hz	106/137	80/103	4	S1	F
258	2RS925	230V	50/60Hz	108/108	81/81	2	S1	F
259	2RS925	230V	50/60Hz	108/108	81/81	2	S1	F
260	4RS935	230V	50/60Hz	108/119	81/89	4	S1	F
261	2RS925	230V	50/60Hz	109/109	82/82	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

(Signature)

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 10 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
262	4RS935	230V	50/60Hz	110/128	82/96	4	S1	F
263	4SS925	230V	50/60Hz	110/132	82/99	4	S1	F
264	4SS935	230V	50/60Hz	110/131	82/98	4	S1	F
265	2RS925	230V	50/60Hz	111/140	83/105	2	S1	F
266	4RS935	230V	50/60Hz	111/111	83/83	4	S1	F
267	4RS945	230V	50/60Hz	111/149	83/112	4	S1	F
268	2RS920	230V	50/60Hz	112/156	84/117	2	S1	F
269	2RS935	230V	50/60Hz	112/112	84/84	2	S1	F
270	4RS945	230V	50/60Hz	112/112	84/84	4	S1	F
271	4SS925	230V	50/60Hz	112/135	84/101	4	S1	F
272	4SS925	230V	50/60Hz	112/126	84/94	4	S1	F
273	2RS920	230V	50/60Hz	113/122	85/92	2	S1	F
274	4RS945	230V	50/60Hz	113/133	85/100	4	S1	F
275	4RS945	230V	50/60Hz	113/113	85/85	4	S1	F
276	2RS915	230V	50/60Hz	114/114	86/86	2	S1	F
277	2RS925	230V	50/60Hz	114/158	86/118	2	S1	F
278	2RS925	230V	50/60Hz	114/142.5	86/106	2	S1	F
279	2RS935	230V	50/60Hz	114/147	86/110	2	S1	F
280	2RS935	230V	50/60Hz	114/132	86/99	2	S1	F
281	4RS935	230V	50/60Hz	114/123	86/92	4	S1	F
282	4RS945	230V	50/60Hz	114/114	86/86	4	S1	F
283	4SS925	230V	50/60Hz	114/135	86/101	4	S1	F
284	4SS935	230V	50/60Hz	114/139	86/104	4	S1	F
285	2RS925	230V	50/60Hz	116/116	87/87	2	S1	F
286	2RS925	230V	50/60Hz	117/117	88/88	2	S1	F
287	2RS935	230V	50/60Hz	117/141	88/106	2	S1	F
288	4RS945	230V	50/60Hz	117/142	88/106	4	S1	F
289	4RS945	230V	50/60Hz	117/155	88/116	4	S1	F
290	2RS920	230V	50/60Hz	119/134	89/100	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

(Signature)

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 11 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
291	2RS935	230V	50/60Hz	119/197	89/148	2	S1	F
292	2RS935	230V	50/60Hz	119/162	89/122	2	S1	F
293	2RS935	230V	50/60Hz	119/144	89/108	2	S1	F
294	2SS925	230V	50/60Hz	119/126	89/94	2	S1	F
295	4GS945	230V	50/60Hz	119/149	89/112	4	S1	F
296	2RS945	230V	50/60Hz	120/177	90/133	2	S1	F
297	4GS955	230V	50/60Hz	120/130	90/98	4	S1	F
298	4RS935	230V	50/60Hz	121/128	91/96	4	S1	F
299	2RS915	230V	50/60Hz	122/129	92/97	2	S1	F
300	2RS925	230V	50/60Hz	123/140	92/105	2	S1	F
301	4RS945	230V	50/60Hz	123/142	92/106	4	S1	F
302	2RS920	230V	50/60Hz	124/137	93/103	2	S1	F
303	2RS925	230V	50/60Hz	124/150	93/112	2	S1	F
304	2RS920	230V	50/60Hz	125/135	94/101	2	S1	F
305	4RS935	230V	50/60Hz	125/135	94/101	4	S1	F
306	2RS925	230V	50/60Hz	126/126	94/94	2	S1	F
307	2RS925	230V	50/60Hz	126/126	94/94	2	S1	F
308	4RS945	230V	50/60Hz	126/157	94/118	4	S1	F
309	2RS920	230V	50/60Hz	128/144	96/108	2	S1	F
310	2RS935	230V	50/60Hz	128/168	96/126	2	S1	F
311	2RS935	230V	50/60Hz	128/102	96/76	2	S1	F
312	2SS915	230V	50/60Hz	128/144	96/108	2	S1	F
313	2SS925	230V	50/60Hz	128/128	96/96	2	S1	F
314	2SS925	230V	50/60Hz	128/142	96/106	2	S1	F
315	4GS955	230V	50/60Hz	128/134	96/100	4	S1	F
316	4RS945	230V	50/60Hz	128/163	96/122	4	S1	F
317	4RS945	230V	50/60Hz	128/142	96/106	4	S1	F
318	4RS945	230V	50/60Hz	128/163	96/122	4	S1	F
319	2RS920	230V	50/60Hz	130/130	98/98	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

(Signature)

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 12 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
320	2RS925	230V	50/60Hz	131/170	98/128	2	S1	F
321	2RS925	230V	50/60Hz	132/174	99/130	2	S1	F
322	2RS925	230V	50/60Hz	132/174	99/130	2	S1	F
323	4RS945	230V	50/60Hz	132/151	99/113	4	S1	F
324	2RS945	230V	50/60Hz	133/188	100/141	2	S1	F
325	4RS945	230V	50/60Hz	133/146	100/110	4	S1	F
326	2RS935	230V	50/60Hz	134/154	100/116	2	S1	F
327	4RS945	230V	50/60Hz	134/173	100/130	4	S1	F
328	4RS945	230V	50/60Hz	135/135	101/101	4	S1	F
329	4RS945	230V	50/60Hz	135/165	101/124	4	S1	F
330	2RS935	230V	50/60Hz	136/160	102/120	2	S1	F
331	4RS945	230V	50/60Hz	138/156	104/117	4	S1	F
332	2RS935	230V	50/60Hz	139/162	104/122	2	S1	F
333	2GS945	230V	50/60Hz	140/136	105/102	2	S1	F
334	2RS935	230V	50/60Hz	140/182	105/136	2	S1	F
335	2RS945	230V	50/60Hz	140/199	105/149	2	S1	F
336	2RS945	230V	50/60Hz	140/166	105/124	2	S1	F
337	4RS945	230V	50/60Hz	142/144	106/108	4	S1	F
338	2RS935	230V	50/60Hz	143/197	107/148	2	S1	F
339	2RS925	230V	50/60Hz	144/187	108/140	2	S1	F
340	4RS945	230V	50/60Hz	145/167	109/125	4	S1	F
341	2RS925	230V	50/60Hz	146/195	110/146	2	S1	F
342	2RS945	230V	50/60Hz	147/206	110/154	2	S1	F
343	2RS935	230V	50/60Hz	148/148	111/111	2	S1	F
344	2RS945	230V	50/60Hz	149/212	112/159	2	S1	F
345	2RS935	230V	50/60Hz	150/197	112/148	2	S1	F
346	2RS935	230V	50/60Hz	150/161	112/121	2	S1	F
347	2RS935	230V	50/60Hz	150/150	112/112	2	S1	F
348	2RS935	230V	50/60Hz	150/172	112/129	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 13 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
349	2RS945	230V	50/60Hz	151/214	113/160	2	S1	F
350	2RS935	230V	50/60Hz	152/152	114/114	2	S1	F
351	2RS935	230V	50/60Hz	153/203	115/152	2	S1	F
352	2RS935	230V	50/60Hz	153/165	115/124	2	S1	F
353	2RS935	230V	50/60Hz	153/165	115/124	2	S1	F
354	2RS945	230V	50/60Hz	153/210	115/158	2	S1	F
355	2RS945	230V	50/60Hz	154/210	116/158	2	S1	F
356	2RS945	230V	50/60Hz	154/215	116/161	2	S1	F
357	2RS925	230V	50/60Hz	155/200	116/150	2	S1	F
358	2RS945	230V	50/60Hz	155/227	116/170	2	S1	F
359	2RS925	230V	50/60Hz	158/158	118/118	2	S1	F
360	2RS945	230V	50/60Hz	158/216	118/162	2	S1	F
361	2RS935	230V	50/60Hz	159/177	119/133	2	S1	F
362	2RS935	230V	50/60Hz	160/234	120/176	2	S1	F
363	2RS935	230V	50/60Hz	160/160	120/120	2	S1	F
364	2RS935	230V	50/60Hz	160/225	120/169	2	S1	F
365	2SS925	230V	50/60Hz	161/158	121/118	2	S1	F
366	2SS935	230V	50/60Hz	161/161	121/121	2	S1	F
367	2RS925	230V	50/60Hz	163/163	122/122	2	S1	F
368	2RS935	230V	50/60Hz	163/167	122/125	2	S1	F
369	2RS935	230V	50/60Hz	163/174	122/130	2	S1	F
370	2RS935	230V	50/60Hz	163/163	122/122	2	S1	F
371	2RS945	230V	50/60Hz	163/225	122/169	2	S1	F
372	2RS925	230V	50/60Hz	164/211	123/158	2	S1	F
373	2RS935	230V	50/60Hz	164/164	123/123	2	S1	F
374	2RS945	230V	50/60Hz	164/164	123/123	2	S1	F
375	4GS955	230V	50/60Hz	164/216	123/162	4	S1	F
376	2RS935	230V	50/60Hz	165/173	124/130	2	S1	F
377	2RS935	230V	50/60Hz	165/165	124/124	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

(Signature)

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 14 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
378	4GS965	230V	50/60Hz	165/165	124/124	4	S1	F
379	2SS925	230V	50/60Hz	167/186	125/140	2	S1	F
380	2RS945	230V	50/60Hz	168/240	126/180	2	S1	F
381	2RS945	230V	50/60Hz	168/228	126/171	2	S1	F
382	2RS935	230V	50/60Hz	169/169	127/127	2	S1	F
383	2SS925	230V	50/60Hz	169/183	127/137	2	S1	F
384	2SS925	230V	50/60Hz	169/183	127/137	2	S1	F
385	2ST935	230V	50/60Hz	169/210	127/158	2	S1	F
386	2RS935	230V	50/60Hz	170/229	128/172	2	S1	F
387	2RS935	230V	50/60Hz	170/170	128/128	2	S1	F
388	2RS935	230V	50/60Hz	170/170	128/128	2	S1	F
389	4RS945	230V	50/60Hz	170/170	128/128	4	S1	F
390	2RS945	230V	50/60Hz	171/246	128/184	2	S1	F
391	2RS935	230V	50/60Hz	172/234	129/176	2	S1	F
392	2RS925	230V	50/60Hz	173/173	130/130	2	S1	F
393	2RS935	230V	50/60Hz	173/173	130/130	2	S1	F
394	2RS925	230V	50/60Hz	174/216	130/162	2	S1	F
395	2RS945	230V	50/60Hz	174/236	130/177	2	S1	F
396	2SS935	230V	50/60Hz	174/186	130/140	2	S1	F
397	4RS945	230V	50/60Hz	174/189	130/142	4	S1	F
398	2RS925	230V	50/60Hz	175/196	131/147	2	S1	F
399	2RS925	230V	50/60Hz	176/202	132/152	2	S1	F
400	2RS935	230V	50/60Hz	176/176	132/132	2	S1	F
401	4GS965	230V	50/60Hz	176/176	132/132	4	S1	F
402	2SS935	230V	50/60Hz	177/220	133/165	2	S1	F
403	2RS945	230V	50/60Hz	180/231	135/173	2	S1	F
404	2RS945	230V	50/60Hz	180/253	135/190	2	S1	F
405	2RS945	230V	50/60Hz	180/180	135/135	2	S1	F
406	2ST935	230V	50/60Hz	180/189	135/142	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 15 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
407	2RS945	230V	50/60Hz	181/261	136/196	2	S1	F
408	2RS945	230V	50/60Hz	181/252	136/189	2	S1	F
409	2SS925	230V	50/60Hz	181/181	136/136	2	S1	F
410	2SS925	230V	50/60Hz	181/183	136/137	2	S1	F
411	4GS955	230V	50/60Hz	181/195	136/146	4	S1	F
412	2SS925	230V	50/60Hz	182/182	136/136	2	S1	F
413	2RS945	230V	50/60Hz	183/269	137/202	2	S1	F
414	2SS935	230V	50/60Hz	184/183	138/137	2	S1	F
415	2SS935	230V	50/60Hz	186/205	140/154	2	S1	F
416	2SS935	230V	50/60Hz	186/205	140/154	2	S1	F
417	2RS945	230V	50/60Hz	187/187	140/140	2	S1	F
418	2SS925	230V	50/60Hz	187/196	140/147	2	S1	F
419	2RS945	230V	50/60Hz	190/259	142/194	2	S1	F
420	2RS945	230V	50/60Hz	193/218	145/164	2	S1	F
421	2SS925	230V	50/60Hz	194/197	146/148	2	S1	F
422	2SS935	230V	50/60Hz	195/195	146/146	2	S1	F
423	2RS945	230V	50/60Hz	197/259	148/194	2	S1	F
424	2SS925	230V	50/60Hz	197/211	148/158	2	S1	F
425	2SS925	230V	50/60Hz	197/211	148/158	2	S1	F
426	4GS965	230V	50/60Hz	198/226	148/170	4	S1	F
427	2RS945	230V	50/60Hz	199/218	149/164	2	S1	F
428	2SS925	230V	50/60Hz	200/200	150/150	2	S1	F
429	2RS945	230V	50/60Hz	202/285	152/214	2	S1	F
430	2SS935	230V	50/60Hz	206/221	154/166	2	S1	F
431	2SS925	230V	50/60Hz	207/207	155/155	2	S1	F
432	2RS945	230V	50/60Hz	209/281	157/211	2	S1	F
433	2SS925	230V	50/60Hz	209/227	157/170	2	S1	F
434	2RS945	230V	50/60Hz	210/297	158/223	2	S1	F
435	2SS925	230V	50/60Hz	210/204	158/153	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

(Signature)

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 16 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
436	2RS945	230V	50/60Hz	211/245	158/184	2	S1	F
437	2SS935	230V	50/60Hz	211/227	158/170	2	S1	F
438	4GS955	230V	50/60Hz	213/225	160/169	4	S1	F
439	2GS965	230V	50/60Hz	216/294	162/220	2	S1	F
440	2RS945	230V	50/60Hz	216/284	162/213	2	S1	F
441	4GS965	230V	50/60Hz	217/271	163/203	4	S1	F
442	2RS945	230V	50/60Hz	218/218	164/164	2	S1	F
443	2SS935	230V	50/60Hz	223/223	167/167	2	S1	F
444	2RS945	230V	50/60Hz	225/323	169/242	2	S1	F
445	2RS945	230V	50/60Hz	225/323	169/242	2	S1	F
446	2SS935	230V	50/60Hz	225/225	169/169	2	S1	F
447	2SS935	230V	50/60Hz	225/218	169/164	2	S1	F
448	2SS935	230V	50/60Hz	228/228	171/171	2	S1	F
449	2GS955	230V	50/60Hz	229/229	172/172	2	S1	F
450	4GS965	230V	50/60Hz	232/263	174/197	4	S1	F
451	2SS935	230V	50/60Hz	234/246	176/184	2	S1	F
452	2SS935	230V	50/60Hz	237/247	178/185	2	S1	F
453	2GS965	230V	50/60Hz	238/329	178/247	2	S1	F
454	2GS955	230V	50/60Hz	241/247	181/185	2	S1	F
455	2SS935	230V	50/60Hz	241/203	181/152	2	S1	F
456	4GS965	230V	50/60Hz	245/284	184/213	4	S1	F
457	2GS945	230V	50/60Hz	249/249	187/187	2	S1	F
458	4GS965	230V	50/60Hz	251/309	188/232	4	S1	F
459	2RS945	230V	50/60Hz	253/272	190/204	2	S1	F
460	2GS945	230V	50/60Hz	254/254	190/190	2	S1	F
461	2GS945	230V	50/60Hz	255/264	191/198	2	S1	F
462	2GS965	230V	50/60Hz	258/258	194/194	2	S1	F
463	2GS965	230V	50/60Hz	264/264	198/198	2	S1	F
464	2GS955	230V	50/60Hz	265/298	199/224	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

(Signature)

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 17 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
465	2GS945	230V	50/60Hz	266/266	200/200	2	S1	F
466	2GS945	230V	50/60Hz	266/266	200/200	2	S1	F
467	2GS955	230V	50/60Hz	267/267	200/200	2	S1	F
468	2GS945	230V	50/60Hz	268/275	201/206	2	S1	F
469	2GS955	230V	50/60Hz	269/269	202/202	2	S1	F
470	2RS945	230V	50/60Hz	269/269	202/202	2	S1	F
471	2RS945	230V	50/60Hz	270/278	202/208	2	S1	F
472	4GS965	230V	50/60Hz	270/193	202/145	4	S1	F
473	2GS945	230V	50/60Hz	271/271	203/203	2	S1	F
474	2RS945	230V	50/60Hz	271/295	203/221	2	S1	F
475	2GS945	230V	50/60Hz	279/279	209/209	2	S1	F
476	2RS945	230V	50/60Hz	279/282	209/212	2	S1	F
477	2GS945	230V	50/60Hz	283/283	212/212	2	S1	F
478	2RS945	230V	50/60Hz	283/274	212/206	2	S1	F
479	2GS945	230V	50/60Hz	284/284	213/213	2	S1	F
480	2GS965	230V	50/60Hz	285/285	214/214	2	S1	F
481	2RS945	230V	50/60Hz	295/295	221/221	2	S1	F
482	2GS965	230V	50/60Hz	296/428	222/321	2	S1	F
483	2RS945	230V	50/60Hz	296/296	222/222	2	S1	F
484	2GS965	230V	50/60Hz	298/298	224/224	2	S1	F
485	2RS945	230V	50/60Hz	311/278	233/208	2	S1	F
486	2GS965	230V	50/60Hz	334/363	250/272	2	S1	F
487	2GS965	230V	50/60Hz	350/385	262/289	2	S1	F
488	2GS965	230V	50/60Hz	350/385	262/289	2	S1	F
489	2GS965	230V	50/60Hz	358/358	268/268	2	S1	F
490	2GS965	230V	50/60Hz	360/360	270/270	2	S1	F
491	2GS965	230V	50/60Hz	360/360	270/270	2	S1	F
492	2GS965	230V	50/60Hz	374/428	280/321	2	S1	F
493	2GS965	230V	50/60Hz	376/402	282/302	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 18 页 共 18 页

证书编号: 2005010401168496

纸号: 476196

序号	型号	额定电压 (V)	额定频率 (Hz)	额定输入 功率(W)	额定输出 功率(W)	极数 (P)	工作制	绝缘 等级
494	2GS965	230V	50/60Hz	377/404	283/303	2	S1	F
495	2GS965	230V	50/60Hz	379/379	284/284	2	S1	F
496	2GS965	230V	50/60Hz	381/381	286/286	2	S1	F
497	2GS965	230V	50/60Hz	404/420	303/315	2	S1	F
498	2GS965	230V	50/60Hz	411/413	308/310	2	S1	F

注: 此附录与证书同时使用时有效。



主 任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>

